

	Type	Hits	Search Text	DBs
240	BRS	3	((online or offline) same devices) and (fabric near2 device) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB
241	BRS	56	(maintain\$ same ((host near2 system) with configuration))	USPAT; EPO; JPO; DERWENT; IBM_TDB
242	BRS	3	((maintain\$ same ((host near2 system) with configuration))) and (fabric same devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
243	BRS	0	6389432.pn. and display	USPAT; EPO; JPO; DERWENT; IBM_TDB
244	BRS	1	6389432.pn. and interface	USPAT; EPO; JPO; DERWENT; IBM_TDB
245	BRS	2	6538669.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
246	BRS	1	6538669.pn. and (display same devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
247	BRS	1	6538669.pn. and (select\$ same devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
248	BRS	1	6584499.pn. and (display\$ same devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
249	BRS	30137	(display same (storage near2 device))	USPAT; EPO; JPO; DERWENT; IBM_TDB
250	BRS	1993	((display same (storage near2 device))) and (user near2 request)	USPAT; EPO; JPO; DERWENT; IBM_TDB
251	BRS	125	((((display same (storage near2 device))) and (user near2 request)) and (select\$ same (storage near2 devices)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
252	BRS	74	(((((display same (storage near2 device))) and (user near2 request)) and (select\$ same (storage near2 devices))) and ((maintain\$ or updat\$) same device))	USPAT; EPO; JPO; DERWENT; IBM_TDB
253	BRS	0	((((((display same (storage near2 device))) and (user near2 request)) and (select\$ same (storage near2 devices))) and ((maintain\$ or updat\$) same device)) and (demand near2 node))	USPAT; EPO; JPO; DERWENT; IBM_TDB
254	BRS	0	((((((display same (storage near2 device))) and (user near2 request)) and (select\$ same (storage near2 devices))) and ((maintain\$ or updat\$) same device)) and (demand near2 path))	USPAT; EPO; JPO; DERWENT; IBM_TDB
255	BRS	31	(((((display same (storage near2 device))) and (user near2 request)) and (select\$ same (storage near2 devices))) and ((maintain\$ or updat\$) same device)) and demand	USPAT; EPO; JPO; DERWENT; IBM_TDB
256	BRS	2	((((((display same (storage near2 device))) and (user near2 request)) and (select\$ same (storage near2 devices))) and ((maintain\$ or updat\$) same device)) and demand) and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB
257	BRS	1	6389432.pn. and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
258	BRS	1	6671789.pn. and display and select	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
259	BRS	2	(provide\$ with (fabric near2 devices)) same user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
260	BRS	2	(user near2 request) same (fabric near2 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
261	BRS	8	(user near2 input) same (fabric near2 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
262	BRS	5484	(user near2 input) same (storage near2 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
263	BRS	0	6584499.pn. and online	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
264	BRS	0	6584499.pn. and offline	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
265	BRS	3	(create near2 node) with online	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
266	BRS	0	(create near2 node) with offline	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
267	BRS	5	(create near2 device) with online	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
268	BRS	2	6584499.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
269	BRS	1	6584499.pn. and (query same server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
270	BRS	1	6584499.pn. and (device with protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
271	BRS	1	6584499.pn. and SCSI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
272	BRS	1	6584499.pn. and (address with devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
273	BRS	1	6584499.pn. and on-line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
274	BRS	0	6584499.pn. and sport	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
275	BRS	0	6584499.pn. and (port with fabric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
276	BRS	1	6584499.pn. and port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
277	BRS	3882	ports with fabric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
278	BRS	440	(ports with fabric) and (storage near2 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
279	BRS	118	((ports with fabric) and (storage near2 network)) and (identify near3 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
280	BRS	5	((ports with fabric) and (storage near2 network)) and (retrieve near2 devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
281	BRS	118	((ports with fabric) and (storage near2 network)) and (identify near3 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
282	BRS	16	((ports with fabric) and (storage near2 network)) and (identify near3 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
283	BRS	14	((ports with fabric) and (storage near2 network)) and (identify near3 device)) and user	USPAT; EPO; JPO; DERWENT; IBM_TDB
284	BRS	4595129	6665714.pn. and (port with devices)r	USPAT; EPO; JPO; DERWENT; IBM_TDB
285	BRS	1	6665714.pn. and (port with devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
286	BRS	1	6584499.pn. and host	USPAT; EPO; JPO; DERWENT; IBM_TDB
287	BRS	1	6584499.pn. and (updat\$ or maintain\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
288	BRS	134	(offline or off-line) same (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
289	BRS	1	((offline or off-line) same (storage near2 devices)) and (notify\$3 same (offline or off-line))	USPAT; EPO; JPO; DERWENT; IBM_TDB
290	BRS	6	((offline or off-line) same (storage near2 devices)) and notifying	USPAT; EPO; JPO; DERWENT; IBM_TDB
291	BRS	0	6538669.pn. and offline	USPAT; EPO; JPO; DERWENT; IBM_TDB
292	BRS	0	6538669.pn. and off-line	USPAT; EPO; JPO; DERWENT; IBM_TDB
293	BRS	16	unavailable same (storage near2 network)	USPAT; EPO; JPO; DERWENT; IBM_TDB
294	BRS	11	"L18" and notifying	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
295	BRS	72	(unavailable near4 devices) and SAN	USPAT; EPO; JPO; DERWENT; IBM_TDB
296	BRS	0	"L72" and online	USPAT; EPO; JPO; DERWENT; IBM_TDB
297	BRS	0	"L72" and offline	USPAT; EPO; JPO; DERWENT; IBM_TDB
298	BRS	2	((unavailable near4 devices) and SAN) and offline	USPAT; EPO; JPO; DERWENT; IBM_TDB
299	BRS	363046	fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB
300	BRS	345	fabric and (storage near2 network)	USPAT; EPO; JPO; DERWENT; IBM_TDB
301	BRS	24	(fabric and (storage near2 network)) and offline	USPAT; EPO; JPO; DERWENT; IBM_TDB
302	BRS	0	(notifying same (offline with (storage near2 device)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
303	BRS	0	(broadcast same (offline with (storage near2 device)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
304	BRS	0	(broadcast with offline) same (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
305	BRS	0	(notification near4 offline) same (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
306	BRS	2	(notification near4 offline) and (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
307	BRS	0	(notification near4 offline) and (fabric near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
308	BRS	0	(notification near4 off-line) and (fabric near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
309	BRS	4	(notification near4 off-line) and (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
310	BRS	2	(broadcast near4 off-line) and (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
311	BRS	0	(broadcast near4 offline) and (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
312	BRS	0	(broadcast near4 offline) and (storage near2 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
313	BRS	7	(broadcast near4 off-line) and (storage near2 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
314	BRS	154	online near3 devices	USPAT; EPO; JPO; DERWENT; IBM_TDB
315	BRS	2	(online near3 devices) same reboot	USPAT; EPO; JPO; DERWENT; IBM_TDB
316	BRS	4	(unavailable near2 device) with offline	USPAT; EPO; JPO; DERWENT; IBM_TDB
317	BRS	31	(updat\$3 with (repository or storage)) same offline	USPAT; EPO; JPO; DERWENT; IBM_TDB
318	BRS	7	(notification with (unavailable or offline) near2 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
319	BRS	49	(notification with (available or online) near2 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
320	BRS	0	((notification with (available or online) near2 device) ) and (reboot same host)	USPAT; EPO; JPO; DERWENT; IBM_TDB
321	BRS	7	((notification with (available or online) near2 device) ) and reboot	USPAT; EPO; JPO; DERWENT; IBM_TDB
322	BRS	0	(response with reboot) same (online near2 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
323	BRS	2	reboot same (online near2 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
324	BRS	6	(fabric near2 devices) with (online or on-line)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
325	BRS	0	6671789.pn. and online	USPAT; EPO; JPO; DERWENT; IBM_TDB
326	BRS	0	6671789.pn. and on-line	USPAT; EPO; JPO; DERWENT; IBM_TDB
327	BRS	1	6389432.pn. and online	USPAT; EPO; JPO; DERWENT; IBM_TDB
328	BRS	0	6584499.pn. and online	USPAT; EPO; JPO; DERWENT; IBM_TDB
329	BRS	1	6584499.pn. and on-line	USPAT; EPO; JPO; DERWENT; IBM_TDB
330	BRS	1598700	6584499.pn. an switch	USPAT; EPO; JPO; DERWENT; IBM_TDB
331	BRS	0	6584499.pn. and switch	USPAT; EPO; JPO; DERWENT; IBM_TDB
332	BRS	0	6584499.pn. and switches	USPAT; EPO; JPO; DERWENT; IBM_TDB
333	BRS	0	6594698.pn. and (fabric with switches)	USPAT; EPO; JPO; DERWENT; IBM_TDB
334	BRS	1	6594698.pn. and switches	USPAT; EPO; JPO; DERWENT; IBM_TDB
335	BRS	1	6643748.pn. and switches	USPAT; EPO; JPO; DERWENT; IBM_TDB
336	BRS	0	(request with (fabric near2 devices)) same (offline or unavailable)	USPAT; EPO; JPO; DERWENT; IBM_TDB
337	BRS	0	(request same (fabric near2 devices)) same (offline or unavailable)	USPAT; EPO; JPO; DERWENT; IBM_TDB
338	BRS	66	(request with devices) same (offline or unavailable)	USPAT; EPO; JPO; DERWENT; IBM_TDB
339	BRS	1	6665714.pn. and select	USPAT; EPO; JPO; DERWENT; IBM_TDB
340	BRS	1	6671789.pn. and select	USPAT; EPO; JPO; DERWENT; IBM_TDB
341	BRS	0	6538669.pn. and (select with device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
342	BRS	1	6538669.pn. and select	USPAT; EPO; JPO; DERWENT; IBM_TDB
343	BRS	1	6538669.pn. and unavailable	USPAT; EPO; JPO; DERWENT; IBM_TDB
344	BRS	1	((request\$ with (unavailable near2 device))) and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB
345	BRS	51	(request\$ with (unavailable near2 device))	USPAT; EPO; JPO; DERWENT; IBM_TDB
346	BRS	18	((request\$ with (unavailable near2 device))) and (user near2 request)	USPAT; EPO; JPO; DERWENT; IBM_TDB
347	BRS	2	6584499.pn. and select	USPAT; EPO; JPO; DERWENT; IBM_TDB
348	BRS	1	6584499.pn. and port	USPAT; EPO; JPO; DERWENT; IBM_TDB
349	BRS	0	6584499.pn. and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB
350	BRS	0	6538699.pn. and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB
351	BRS	2	6665714.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
352	BRS	1	6665714.pn. and (port with fabric)	USPAT; EPO; JPO; DERWENT; IBM_TDB
353	BRS	1	6665714.pn. and ((interface with host) same fabric)	USPAT; EPO; JPO; DERWENT; IBM_TDB
354	BRS	1	6665714.pn. and (display\$ with device)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
355	BRS	1	6665714.pn. and server	USPAT; EPO; JPO; DERWENT; IBM_TDB
356	BRS	7	(fabric near2 devices) with server	USPAT; EPO; JPO; DERWENT; IBM_TDB
357	BRS	3	(query near2 server) with (storage near2 devices)	USPAT; EPO; JPO; DERWENT; IBM_TDB
358	BRS	0	6389432.pn. and (query\$ with server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
359	BRS	1	6389432.pn. and (query\$ same server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
360	BRS	1	6671789.pn. and (query\$ same server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
361	BRS	0	(fabric near2 device) with nameserver	USPAT; EPO; JPO; DERWENT; IBM_TDB
362	BRS	0	(fabric near2 devices) with nameserver	USPAT; EPO; JPO; DERWENT; IBM_TDB
363	BRS	0	(storage near2 devices) with nameserver	USPAT; EPO; JPO; DERWENT; IBM_TDB
364	BRS	1901	(storage near2 devices) with server	USPAT; EPO; JPO; DERWENT; IBM_TDB
365	BRS	0	(receive with (storage near2 devices)) with (from near2 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
366	BRS	0	(receive with (storage near2 devices)) with (from near2 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
367	BRS	69	(receive with (storage near2 devices)) with server	USPAT; EPO; JPO; DERWENT; IBM_TDB
368	BRS	5	((receive with (storage near2 devices)) with server) and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB
369	BRS	1	6665714.pn. and switches	USPAT; EPO; JPO; DERWENT; IBM_TDB
370	BRS	0	5600791.pn. and library	USPAT; EPO; JPO; DERWENT; IBM_TDB
371	BRS	2	6182167.pn. and library	USPAT; EPO; JPO; DERWENT; IBM_TDB
372	BRS	0	SCSI with (fibre near2 cannel)	USPAT; EPO; JPO; DERWENT; IBM_TDB
373	BRS	0	protocol same (fibre near2 cannel)	USPAT; EPO; JPO; DERWENT; IBM_TDB
374	BRS	6	fibre near2 cannel	USPAT; EPO; JPO; DERWENT; IBM_TDB
375	BRS	2359	709/200	USPAT; EPO; JPO; DERWENT; IBM_TDB
376	BRS	0	709/200 and (fibre near2 cannel)	USPAT; EPO; JPO; DERWENT; IBM_TDB
377	BRS	0	709/200 and (fibre near2 remove)	USPAT; EPO; JPO; DERWENT; IBM_TDB
378	BRS	0	709/200 and (fibre near2 delete)	USPAT; EPO; JPO; DERWENT; IBM_TDB
379	BRS	5	fibre near2 delete	USPAT; EPO; JPO; DERWENT; IBM_TDB
380	BRS	6	Fibre near2 Cannel	USPAT; EPO; JPO; DERWENT; IBM_TDB
381	BRS	5	SAN and (fibre near2 cannel)	USPAT; EPO; JPO; DERWENT; IBM_TDB
382	BRS	2	6393489.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
383	BRS	1	6393489.pn. and port	USPAT; EPO; JPO; DERWENT; IBM_TDB
384	BRS	16761	I/O near2 port	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
385	BRS	67	(I/O near2 port) and (create near2 node)	USPAT; EPO; JPO; DERWENT; IBM_TDB
386	BRS	1	6671789.pn. and loop	USPAT; EPO; JPO; DERWENT; IBM_TDB
387	BRS	662	(fibre near2 channel) with loop	USPAT; EPO; JPO; DERWENT; IBM_TDB
388	BRS	538	(fibre near2 channel) near2 loop	USPAT; EPO; JPO; DERWENT; IBM_TDB
389	BRS	40	((fibre near2 channel) near2 loop) and (I/O near2 ports)	USPAT; EPO; JPO; DERWENT; IBM_TDB
390	BRS	1	6665714.pn. and operating	USPAT; EPO; JPO; DERWENT; IBM_TDB
391	BRS	16761	I/O near2 ports	USPAT; EPO; JPO; DERWENT; IBM_TDB
392	BRS	7	(I/O near2 ports) and (log near3 fail)	USPAT; EPO; JPO; DERWENT; IBM_TDB
393	BRS	1548	SAN and (I/O near2 ports)	USPAT; EPO; JPO; DERWENT; IBM_TDB
394	BRS	0	(SAN and (I/O near2 ports)) and (log-in near2 fail)	USPAT; EPO; JPO; DERWENT; IBM_TDB
395	BRS	1	(SAN and (I/O near2 ports)) and (log near2 fail)	USPAT; EPO; JPO; DERWENT; IBM_TDB
396	BRS	10	(I/O near2 port) same (attach near2 port)	USPAT; EPO; JPO; DERWENT; IBM_TDB